

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,61

c1924

LIBRARY
RECEIVED
MAY 25 1924
at 44

PRICE LIST

OF THE

BLOODGOOD
NURSERIES

DEPT. OF AMERICAN NURSERY CO.
FLUSHING, L. I., NEW YORK

PASSENGER STATION
Broadway, L. I., N. Y., North Shore Division
Long Island Railroad

FREIGHT STATION
Bayside, L. I.

POST OFFICE AND EXPRESS STATION
Flushing, L. I.
Telephone 0424, Flushing, N. Y.

Our nurseries are inspected annually, and a State certificate accompanies each shipment.

IMPORTANT

In this price list we have grouped all Deciduous trees and shrubs alphabetically and botanically under one heading, and all Evergreen trees and shrubs similarly in another classification, believing such classification will aid in simplicity as it certainly does in accuracy.

Planting Suggestions

We exercise care in digging, shipping and delivery of our products, thus insuring to the planter the best possible results.

We do not guarantee plants to grow under all conditions, and do not replace stock that perishes on the customer's premises, unless such loss is directly due to negligence or carelessness on the part of our employees.

Location and How to Reach Us

Our Nurseries are located in the town of Flushing, the oldest nursery center of America, ten miles from the center of New York City, from which point we are reached by trains on the North Shore Division of the Long Island Railroad from Pennsylvania Station, Thirty-third Street and Seventh Avenue, to Broadway Station, or by trolley from Fifty-ninth Street and Queensboro Bridge to Twenty-second Street and Franconia Ave., Flushing.

Visitors from the South Shore and Eastern Long Island and Brooklyn will change at Jamaica to the Flushing trolley, getting off at Twenty-second Street and Franconia Avenue and walking one-half mile directly east to our office.

We have also established a nursery at Albertson, on the main road between Mineola and Roslyn, and accessible from both places by motor bus which passes our property.

Shipping Directions

Customers are requested to give careful and explicit shipping directions. When no such directions are given, we will use our best judgment. After delivery to carriers goods travel at purchaser's risk and expense, and in the event they are lost or unduly delayed claims must be made to the transportation companies. All complaints should be made upon receipt of goods, when all mistakes of our making will be cheerfully corrected.

Conditions of Sale

Prices per ten and per hundred apply only when the quantities specified are taken except that five and fifty will be sold at the ten and hundred rate respectively.

Terms cash except by agreement otherwise. We will forward by express C. O. D. provided 20% of the amount of the bill accompanies the order from unknown correspondents.

Prices named in this list are for the stock here, packing or trucking additional at cost, the purchaser paying the transportation charges.

BLOODGOOD NURSERIES,
Dept. Am. Nur. Co.
Flushing, N. Y.

Telephone 0424 Flushing

DECIDUOUS TREES AND SHRUBS

Calipering trees insures a more uniform and satisfactory grade, and in all shade trees 1¼-inch and up, we adopt the standard common among reputable nurserymen of measuring the tree six inches above the ground.

Our Japan Maples are of much better grade than those usually offered. All are grafted and are of intense and constant color.

We invite particular attention to our shade trees. They are above the usual grade offered.

| | | Each | Per 10 | Per 100 |
|------------------------------------|-------------------------------------|-------|--------|---------|
| ACANTHOPANAX pentaphyllum (Aralia) | | | | |
| 2 to 3 ft. | \$ | 50 | \$4 00 | \$30 00 |
| 3 to 4 ft. | | 75 | 6 00 | 40 00 |
| 4 to 6 ft. | | 1 00 | 7 50 | |
| ACER colchicum var. rubrum | | | | |
| 4 to 6 ft. | | 1 25 | 12 00 | |
| 6 to 8 ft. | | 2 00 | 18 00 | |
| 8 to 10 ft. | | 3 00 | | |
| dasyacarpum | <i>Silver Maple</i> | | | |
| 6 to 8 ft. | | 75 | 7 00 | 60 00 |
| 8 to 10 ft. | | 1 35 | 12 00 | 100 00 |
| 1½ in. | | 1 50 | 13 50 | |
| 1¾ in. | | 2 00 | 15 00 | |
| 2 in. | | 2 50 | 20 00 | |
| 2½ in. | | 3 75 | | |
| 3 in. | | 5 00 | 45 00 | |
| dasyacarpum var. Wierii | <i>Wier's Cut-leaved Maple</i> | | | |
| 6 to 8 ft. | | 1 25 | 12 00 | |
| Japonicum var. aureum | <i>Golden-leaved Japanese Maple</i> | | | |
| 2 to 3 ft. | | 8 00 | | |
| 3 to 4 ft. | | 9 00 | | |
| 4 ft. X | | 10 00 | | |
| palmatum | <i>Japanese Maple</i> | | | |
| 4 to 6 ft. | | 5 00 | | |
| palmatum var. atropurpureum | (Seedlings) | | | |
| | <i>Red-leaved Japanese Maple</i> | | | |
| 1 to 2 ft. | | 2 50 | 22 50 | 200 00 |
| 6 to 8 ft. | | 9 00 | | |
| palmatum var. dissectum | <i>Cut-leaved Japanese Maple</i> | | | |
| 2 to 3 ft. | | 12 00 | | |
| 3 to 4 ft. | | 15 00 | | |
| Specimens | \$18 to \$25 each | | | |
| palmatum var. diss. atropurpureum | <i>Red Cut-leaved Jap. Maple</i> | | | |
| 2 to 3 ft. | | 12 00 | | |
| 3 to 4 ft. | | 15 00 | | |
| Specimens | \$18 to \$25 each | | | |
| palmatum var. nigrum | <i>Blood-leaved Jap. Maple</i> | | | |
| 2 to 3 ft. | | 10 00 | 100 00 | 950 00 |
| 3 to 4 ft. | | 12 00 | 120 00 | |
| 4 to 6 ft. | | 15 00 | 150 00 | |
| Pennsylvanicum | <i>Striped Maple</i> | | | |
| 8 to 10 ft. | | 2 00 | | |
| 2 to 3 in. | | 5 00 | 45 00 | |
| platanoides | <i>Norway Maple</i> | | | |
| 1¼ to 1½ in. | | 3 00 | 27 50 | 250 00 |
| 1½ in. | | 4 00 | 35 00 | 300 00 |
| 1¾ in. | | 4 50 | 40 00 | 350 00 |
| 2 in. | | 5 00 | 45 00 | 410 00 |
| 2½ in. | | 6 00 | 52 50 | |
| 3 in. | | 7 50 | 70 00 | |
| 4 in. | | 10 00 | 90 00 | |
| Larger trees..... | \$12 to \$25 each | | | |

| ACER — Continued | | Each | Per 10 | Per 100 |
|-------------------------------|---------------------------------------|------|--------|---------|
| platanoides var. globosa | <i>Globe Headed Norway Maple</i> | | | |
| 2 in. | | 5 00 | | |
| plat. var. Schwedleri | <i>Schwedler's Maple</i> | | | |
| 6 to 8 ft. | | 2 25 | 20 00 | |
| 8 to 10 ft. | | 3 00 | | |
| 1½ in. | | 3 50 | 32 50 | |
| 1¾ in. | | 4 00 | | |
| 2 in. | | 5 00 | | |
| pseudoplatanus | <i>Sycamore Maple</i> | | | |
| 8 to 10 ft. | | 1 75 | 15 00 | |
| 1½ in. | | 2 25 | 20 00 | |
| 1¾ in. | | 3 00 | 25 00 | |
| 2 in. | | 3 75 | | |
| rubrum | <i>Red or Swamp Maple</i> | | | |
| 4 to 6 ft. | | | | |
| 6 to 8 ft. | | 1 50 | 12 50 | 100 00 |
| 1 to 1½ in. | | 2 25 | 20 00 | |
| 1¾ in. | | 3 00 | 25 00 | |
| 2 in. | | 4 50 | 37 50 | |
| 3 in. | | 7 50 | | |
| saccharum | <i>Sugar or Rock Maple</i> | | | |
| 6 to 8 ft. | | | | |
| 1 to 1½ in. | | 3 00 | 27 50 | 225 00 |
| 1½ in. | | 3 25 | 30 00 | 275 00 |
| 1¾ in. | | 3 75 | 35 00 | 325 00 |
| 2 in. | | 4 50 | 42 50 | 375 00 |
| 3 in. | | 6 50 | 60 00 | |
| 4 in. | | 9 00 | 80 00 | |
| AESCULUS flava | <i>Dwarf Horsechestnut</i> | | | |
| 1 to 2 ft. | | 1 25 | 10 00 | 75 00 |
| 2 to 3 ft. | | 2 00 | 17 50 | 150 00 |
| hippocastanum | <i>Common Horsechestnut</i> | | | |
| 1¾ in. | | 3 75 | 35 00 | |
| 2 in. | | 4 50 | 42 50 | |
| 2½ in. | | 5 25 | 50 00 | |
| 3 to 4 in. | | 7 50 | | |
| hippo. var. flore pleno | <i>Double Flowering Horsechestnut</i> | | | |
| 1½ in. | | 3 25 | 30 00 | |
| 1¾ in. | | 3 75 | 35 00 | |
| 2 in. | | 4 50 | 42 50 | |
| 2½ in. | | 6 00 | | |
| 3 in. | | 8 00 | | |
| macrostachya | <i>Pavia</i> | | | |
| 1 to 2 ft. | | 1 50 | | |
| 2 to 3 ft. | | 2 25 | | |
| turbinata | <i>Japanese Horsechestnut</i> | | | |
| 2 to 3 in. | | 5 25 | | |
| AILANTHUS Vilmoriniana (new) | <i>Tree of Heaven</i> | | | |
| 6 to 8 ft. | | 1 75 | 15 00 | |
| 8 to 10 ft. | | 2 50 | 22 50 | |
| AMELANCHIER canadensis | <i>Shad Bush or June Berry</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | |
| 3 to 4 ft. | | 75 | 6 00 | |
| 4 to 6 ft. | | 1 00 | 7 50 | |
| AMYGDALUS (pink and white) | <i>Flowering Almond</i> | | | |
| 1½ ft. | | 75 | 6 00 | 45 00 |
| 2 to 3 ft. | | 1 25 | 10 00 | 75 00 |
| Persica (pink, red and white) | <i>Flowering Peach</i> | | | |
| 3 to 4 ft. | | 1 00 | 7 50 | |
| 4 to 6 ft. | | 1 50 | 12 00 | |

ANDROMEDA (See Oxydendrum)

| | | | | |
|-----------------------------|-------------------|---------------------------------|-------|--------|
| ARALIA spinosa | | <i>Hercules Club</i> | | |
| | 6 to 8 ft. | 1 00 | 7 50 | |
| ARONIA arbutifolia | | <i>Red Chokeberry</i> | | |
| | 18 to 24 in. | 40 | 3 50 | 30 00 |
| | 2 to 3 ft. | 50 | 4 25 | 36 00 |
| melanocarpa | | <i>Black Chokeberry</i> | | |
| | 18 to 24 in. | 40 | 3 50 | 30 00 |
| | 2 to 3 ft. | 50 | 4 25 | 36 00 |
| AZALEA arborescens | | <i>Fragrant Azalea</i> | | |
| | 12 to 18 in. | 1 50 | 12 50 | |
| | 18 to 24 in. | 2 00 | 17 50 | |
| | 2 to 3 ft. | 2 50 | 22 50 | 200 00 |
| | 3 to 4 ft. | 3 75 | 35 00 | |
| calendulacea | | <i>Flame Azalea</i> | | |
| | 12 to 18 in. | 1 50 | 12 50 | |
| | 18 to 24 in. | 2 00 | 17 50 | 150 00 |
| | 2 to 3 ft. | 2 50 | 22 50 | |
| canescens | | <i>Gray Azalea</i> | | |
| | 1½ ft. | 2 25 | | |
| mollis | | <i>Japanese Azalea</i> | | |
| | 12 to 18 in. | 1 50 | 13 50 | |
| | 18 to 24 in. | 2 50 | 22 50 | |
| nudiflora | | <i>Pinxter Flower</i> | | |
| | 12 to 18 in. | 1 50 | 12 50 | |
| | 18 to 24 in. | 2 00 | 17 50 | |
| occidentale | | | | |
| | 3 ft. | 4 50 | | |
| | 4 ft. | 6 00 | | |
| pontica (Named Var.) | | <i>Ghent Azalea</i> | | |
| | 18 to 24 in. | 3 75 | | |
| | 2 to 3 ft. | 4 50 | | |
| poukhanense var. Yodogawa | | <i>Double Lilac Azalea</i> | | |
| | 12 to 18 in. | 1 50 | | |
| | 2 to 3 ft. | 7 50 | | |
| vaseyi | | <i>Southern Azalea</i> | | |
| | 12 to 18 in. | 2 00 | 17 50 | 150 00 |
| | 18 to 24 in. | 2 50 | 22 50 | 200 00 |
| | 2 to 3 ft. | 4 50 | 40 00 | 375 00 |
| | 3 to 4 ft. | 6 00 | 50 00 | |
| viscosa | | <i>White Swamp Honeysuckle</i> | | |
| | 12 to 18 in. | 1 50 | 12 50 | 100 00 |
| | 18 to 24 in. | 2 00 | 17 50 | 150 00 |
| | 2 to 3 ft. | 2 50 | 22 50 | 200 00 |
| | 3 to 4 ft. | 3 75 | 35 00 | |
| BENZOIN aestivale (Lindera) | | <i>Spice Bush</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 40 00 |
| | 4 to 6 ft. | 75 | 6 00 | 50 00 |
| BERBERIS Thunbergii | | <i>Japanese Barberry</i> | | |
| | 12 to 18 in. | 35 | 3 00 | 25 00 |
| | 18 to 24 in. | 50 | 4 00 | 33 00 |
| | 2 to 2½ ft. | 75 | 6 00 | |
| BETULA alba | | <i>European White Birch</i> | | |
| | 4 to 6 ft. | 1 00 | 7 50 | |
| | 6 to 8 ft. | 1 25 | 10 00 | |
| | 2 in. | 3 50 | | |
| alba laciniata | | <i>Cut Leaved Weeping Birch</i> | | |
| | 4 to 6 ft. | 2 00 | 15 00 | |
| | 6 to 8 ft. | 2 75 | 22 50 | |
| | 8 to 10 ft. | 3 50 | 30 00 | |

| BETULA — Continued | | Each | Per 10 | Per 100 |
|--------------------------------------|----------------------------------|------|--------|---------|
| lenta | <i>Black Birch</i> | | | |
| 8 to 10 ft..... | | 2 50 | 20 00 | |
| 10 to 12 ft. | | 3 00 | 25 00 | |
| papyrifera | <i>Paper or Canoe Birch</i> | | | |
| 6 to 8 ft. | | 1 25 | 11 50 | 90 00 |
| 8 to 10 | | 1 50 | 13 50 | 120 00 |
| 10 to 12 ft. | | 2 00 | 17 50 | 150 00 |
| 2 in, | | 3 00 | 27 50 | |
| 2½ in. | | 4 50 | 40 00 | |
| BUDDLEIA Veitchiana | <i>Butterfly Bush</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 75 | 6 00 | 45 00 |
| CALYCANTHUS floridus | <i>Strawberry Shrub</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | 40 00 |
| 3 to 4 ft. | | 60 | 5 00 | 45 00 |
| CARAGANA arborescens | <i>Pea Tree</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | |
| 3 to 4 ft. | | 50 | 4 00 | |
| 4 to 6 ft. | | 75 | 6 00 | |
| CARPINUS betulus | <i>European Hornbeam</i> | | | |
| 2 to 3 ft. | | 75 | 6 00 | |
| 3 to 4 ft. | | 1 00 | 7 50 | |
| 4 to 6 ft. | | 1 25 | 10 00 | |
| CATALPA bungei | <i>Umbrella Tree</i> | | | |
| 1 year | | 2 50 | 22 50 | 200 00 |
| 2 years | | 2 75 | 25 00 | 225 00 |
| 3 years | | 3 00 | | |
| CERCIDIPHYLLUM Japonicum | <i>Katsura Tree</i> | | | |
| 6 to 8 ft. | | 3 00 | 27 50 | |
| 8 to 10 ft. | | 3 50 | 30 00 | |
| 10 to 12 ft. | | 4 50 | 40 00 | |
| CERCIS canadensis | <i>Amer. Judas or Red Bud</i> | | | |
| 2 to 3 ft. | | 60 | 5 00 | 40 00 |
| 3 to 4 ft. | | 75 | 6 75 | 60 00 |
| 4 to 6 ft. | | 1 25 | 10 00 | |
| 6 to 8 ft. | | 1 50 | 12 00 | |
| CHIONANTHUS virginica | <i>White Fringe</i> | | | |
| 2 to 3 ft. | | 1 25 | 10 50 | 90 00 |
| 3 to 4 ft. | | 1 50 | 13 50 | 120 00 |
| CLADRASTIS tinctoria | <i>Yellow Wood</i> | | | |
| 2 to 3 ft. | | 1 00 | 9 00 | 75 00 |
| 3 to 4 ft. | | 1 50 | 12 50 | |
| 4 to 6 ft. | | 2 00 | 17 50 | 150 00 |
| CLETHRA alnifolia | <i>Sweet Pepperbush</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 40 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| CORNUS alba | <i>Red Branched Dogwood</i> | | | |
| 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| 4 to 6 ft. | | 60 | 5 00 | 42 00 |
| 6 to 8 ft. | | 75 | 6 00 | 48 00 |
| elegantissima | <i>Variegated Leaved Dogwood</i> | | | |
| 3 to 4 ft. | | 60 | 5 00 | |
| floridus | <i>White Flowering Dogwood</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | 40 00 |
| 3 to 4 ft. | | 75 | 6 25 | 50 00 |
| 4 to 6 ft. | | 1 00 | 8 75 | 75 00 |
| 6 to 8 ft. | | 1 25 | 11 00 | 90 00 |
| 8 to 10 ft. | | 2 25 | 17 50 | 150 00 |
| Seedlings, | | | | |
| 3 to 5 in., 2 per 100; \$15 per 1000 | | | | |

| CORNUS — Continued | | Each | Per 10 | Per 100 |
|-----------------------------|--|---------------------------------------|--------|---------|
| floridus | rubra | <i>Red Flowering Dogwood</i> | | |
| | 2 to 3 ft. | 1 20 | 10 00 | 90 00 |
| | 3 to 4 ft. | 1 50 | 13 50 | 120 00 |
| | 4 to 6 ft. | 2 25 | 18 00 | |
| | 6 to 8 ft. | 3 00 | 25 00 | |
| Kousa | | <i>Japanese Dogwood</i> | | |
| | 4 to 6 ft. | 1 50 | 12 00 | |
| | 6 to 8 ft. X | 1 75 | 15 00 | |
| | Seedlings, 6 to 10 in., \$5 per 100 | | | |
| mascula | | <i>Cornelian Cherry</i> | | |
| | 18 to 24 in. | 35 | 3 00 | |
| paniculata | (racemosa) | <i>Gray Dogwood</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 40 00 |
| | 4 to 6 ft. | 75 | 6 00 | 50 00 |
| sanguinea | | <i>European Red Osier</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 40 00 |
| | 4 to 6 ft. | 75 | 6 00 | 50 00 |
| | 6 to 8 ft. | 1 00 | 8 50 | 75 00 |
| sericea | (amomum) | <i>Silky Cornel</i> | | |
| | 3 to 4 ft. | 50 | 4 00 | 30 00 |
| | 4 to 6 ft. | 60 | 5 00 | 40 00 |
| | 6 to 8 ft. | 75 | 6 00 | |
| stolonifera | | <i>Red Osier</i> | | |
| | 2 to 3 ft. | 40 | 3 30 | 24 00 |
| | 3 to 4 ft. | 50 | 4 00 | 30 00 |
| | 4 to 6 ft. | 60 | 5 00 | 40 00 |
| | 6 to 8 | 75 | 6 00 | |
| stolonifera var. flaviramea | (lutea) | <i>Golden Barked Dogwood</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 25 | 36 00 |
| | 4 to 6 ft. | 75 | 6 00 | |
| stolon. var. Spaethi | aurea | <i>Golden Leaved Osier</i> | | |
| | 2 to 3 ft. | 50 | 4 00 | |
| | 3 to 4 ft. | 60 | 5 00 | |
| CORYLUS | Americana | <i>Hazel Nut</i> | | |
| | 2 to 3 ft. | 50 | 4 50 | 40 00 |
| | 3 to 4 ft. | 75 | 5 00 | |
| maxima | var. purpurea | <i>Purple Filbert</i> | | |
| | 2 to 3 ft. | 75 | | |
| CRATAEGUS | coccinea | <i>White Thorn</i> | | |
| | 2 to 3 ft. | 75 | 6 75 | 60 00 |
| | 3 to 4 ft. | 1 00 | 7 50 | |
| cordata | | <i>Washington Thorn</i> | | |
| | 2 to 3 ft. | 75 | 6 75 | 60 00 |
| | 3 to 4 ft. | 1 00 | 8 75 | 75 00 |
| molle | | | | |
| | 4 to 6 ft. | 1 25 | 10 00 | 90 00 |
| | 6 to 8 ft. | 1 50 | 12 00 | |
| oxycantha | (pink and white) | <i>Double Flowering Thorn</i> | | |
| | 3 to 4 ft. | 1 25 | | |
| | 4 to 6 ft. | 1 50 | | |
| oxy. var. Paulii | | <i>Paul's New Dble. Scarlet Thorn</i> | | |
| | 3 to 4 ft. | 1 25 | 9 00 | |
| | 4 to 6 ft. | 1 50 | | |
| punctata | | | | |
| | 4 to 6 ft. | 1 25 | 10 00 | 90 00 |
| CYDONIA | Japanica | <i>Japan Quince</i> | | |
| | 18 to 24 in. | 50 | 4 50 | 40 00 |
| | Seedlings, 3 to 5 in., \$2 per 100; \$15 per 1000 | | | |

| | | Each | Per 10 | Per 100 |
|--------------------------------|--|------|--------|---------|
| CYTISSUS (See Laburnum) | | | | |
| DEUTZIA gracilis | <i>Dwarf White Deutzia</i> | | | |
| 12 to 18 in. | | 50 | 4 50 | 40 00 |
| 18 to 24 in. | | 60 | 5 00 | 45 00 |
| Lemoinei | <i>Lemoine's Deutzia</i> | | | |
| 12 to 18 in. | | 50 | 4 50 | 40 00 |
| 18 to 24 in. | | 60 | 5 00 | 45 00 |
| scabra var. candidissima | <i>Dble. White Deutzia</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 40 00 |
| 4 to 6 ft. | | 75 | 6 00 | |
| scabra var. crenata | <i>Pink Deutzia</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 40 00 |
| 4 to 6 ft. | | 75 | 6 00 | 50 00 |
| scabra var. Pride of Rochester | <i>Large Flowered White Deutzia</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 40 00 |
| DIERVILLA amabilis | <i>Pink Weigelia</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 40 00 |
| 4 to 6 ft. | | 75 | 6 00 | |
| Eva Rathke | <i>Red Weigelia</i> | | | |
| 18 to 24 in. | | 50 | 4 50 | 40 00 |
| 2 to 3 ft. | | 60 | | |
| 3 to 4 ft. | | 75 | | |
| floribunda | | | | |
| 2 to 3 ft. | | 60 | 5 00 | |
| 3 to 4 ft. | | 75 | 6 00 | |
| Lemoinei | <i>Lemoine's Weigelia</i> | | | |
| 2 to 3 ft. | | 60 | 5 00 | |
| 3 to 4 ft. | | 75 | 6 00 | |
| nana variegata | <i>Variegated Leaved Pink Weigelia</i> | | | |
| 18 to 24 in. | | 40 | 3 50 | 30 00 |
| 2 to 3 ft. | | 50 | 4 50 | 36 00 |
| 3 to 4 ft. | | 60 | 5 00 | |
| rosea | <i>Pink Weigelia</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | 40 00 |
| 3 to 4 ft. | | 60 | 5 00 | 45 00 |
| 4 to 6 ft. | | 75 | 6 75 | 60 00 |
| OIOSPYROS virginiana | <i>Common Persimmon</i> | | | |
| 2 to 3 ft. | | 75 | | |
| 3 to 4 ft. | | 1 00 | | |
| 4 to 6 ft. | | 1 25 | | |
| ELAEAGNUS longipes | <i>Japanese Oleaster</i> | | | |
| 2 to 3 ft. | | 50 | 4 00 | |
| 3 to 4 ft. | | 60 | 4 50 | |
| EVONYMUS alata | <i>Cork Barked Evonymus</i> | | | |
| 18 to 24 in. | | 60 | 5 00 | 45 00 |
| 2 to 3 ft. | | 75 | 6 75 | |
| 3 to 4 ft. | | 1 00 | 7 50 | |
| europaea | <i>European Evonymus</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 40 00 |
| 4 to 6 ft. | | 75 | 6 00 | 50 00 |
| 6 to 8 ft. | | 1 00 | 7 50 | |
| yedoensis | <i>Chinese Evonymus</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | |
| 3 to 4 ft. | | 50 | 4 50 | |
| 4 to 6 ft. | | 75 | 6 00 | |

| | | Each | Per 10 | Per 100 |
|-----------|---|------|--------|---------|
| EXOCHORDA | grandiflora (racemosa) | | | |
| | <i>Pearl Bush</i> | | | |
| | 18 to 24 in. | 40 | 3 00 | 21 00 |
| | 2 to 3 ft. | 50 | 4 50 | 40 00 |
| FAGUS | grandifolia (ferruginea) <i>American Beech</i> | | | |
| | 2 to 3 ft. | 1 25 | 10 00 | 75 00 |
| | 3 to 4 ft. | 1 50 | 12 50 | 100 00 |
| | 4 to 6 ft. | 2 00 | 17 50 | |
| | 6 to 8 ft. | 2 25 | 20 00 | |
| | 8 to 10 ft. | 3 00 | | |
| | Specimens, 12 to 20 ft., \$6 to \$9 each | | | |
| | <i>sylvatica</i> <i>European Beech</i> | | | |
| | 3 to 4 ft. | 1 25 | | |
| | 4 to 6 ft. | 1 50 | | |
| | 6 to 8 ft. | 2 25 | 20 00 | |
| | <i>sylv. var. asplenifolia</i> <i>Cut Leaved Beech</i> | | | |
| | 3 to 4 ft. | 3 00 | | |
| | 4 to 6 ft. | 3 75 | | |
| | <i>sylv. var. pendula</i> <i>Weeping Beech</i> | | | |
| | 3 to 4 ft. | 2 25 | 17 50 | |
| | 4 to 6 ft. | 4 00 | 30 00 | |
| | 8 to 10 ft. | 6 50 | | |
| | <i>sylv. var. purpurea</i> <i>Purple Leaved Beech</i> | | | |
| | 2 to 3 ft. | 2 00 | 17 50 | |
| | 3 to 4 ft. | 2 25 | 20 00 | |
| | <i>sylv. var. Riversii</i> <i>River's Purple Leaved Beech</i> | | | |
| | 2 to 3 ft. | 2 25 | 20 00 | |
| | 3 to 4 ft. | 2 50 | 22 50 | |
| | 4 to 6 ft. | 3 50 | 30 00 | |
| FORSYTHIA | fortunei <i>Golden Bell</i> | | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 40 00 |
| | 4 to 6 ft. | 75 | 6 00 | 45 00 |
| | 6 to 8 ft. | 1 00 | 7 50 | |
| | <i>intermedia</i> <i>Golden Bell</i> | | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 40 00 |
| | 4 to 6 ft. | 75 | 6 25 | 45 00 |
| | 6 to 8 ft. | 1 00 | 7 50 | |
| | <i>suspensa</i> <i>Weeping Golden Bell</i> | | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 40 00 |
| | 4 to 6 ft. | 75 | 6 00 | 45 00 |
| | 6 to 8 ft. | 1 00 | 7 50 | |
| | <i>viridissima</i> <i>Green Barked Golden Bell</i> | | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 40 00 |
| | 4 to 6 ft. | 75 | 6 00 | 45 00 |
| | 6 to 8 ft. | 1 00 | 7 50 | |
| FRAXINUS | Americana <i>White Ash</i> | | | |
| | 1½ in. | 2 50 | 13 50 | 175 00 |
| | 1¾ in. | 3 00 | 25 00 | 225 00 |
| | 2 in. | 4 00 | 35 00 | |
| | 3 in. | 6 00 | 50 00 | |
| | 4 in. | 8 00 | 75 00 | |
| | <i>lanceolata (viridis)</i> <i>Green Ash</i> | | | |
| | 8 to 10 ft. | 1 50 | 13 50 | 120 00 |
| | 1½ in. | 2 50 | 20 00 | |
| | 1¾ in. | 3 00 | 25 00 | |
| | 2 in. | 4 00 | 30 00 | |
| | 3 in. | 6 00 | 50 00 | |
| | 4 in. | 8 00 | 75 00 | |
| | <i>ornus</i> <i>European Flowering Ash (fragrant flowers)</i> | | | |
| | 3 in. | 6 00 | | |

| | | Each | Per 10 | Per 100 |
|---|---------------------------------------|------|--------|---------|
| GINKO biloba | <i>Maiden Hair Tree</i> | | | |
| 1¼ in. | | 2 00 | 17 50 | 150 00 |
| 1½ in. | | 2 50 | 22 50 | 200 00 |
| 1¾ in. | | 3 00 | 27 50 | 250 00 |
| 2 in. | | 4 00 | 37 50 | 350 00 |
| 2½ in. | | 5 50 | 50 00 | 450 00 |
| 3 in. | | 7 50 | | |
| GLEDITSIA triacanthos | <i>Honey Locust</i> | | | |
| 2 to 3 ft. | | 60 | 5 50 | 45 00 |
| GYMNOCLADUS dioica | <i>Kentucky Coffee Tree</i> | | | |
| 6 to 8 ft. | | 1 80 | | |
| 8 to 10 ft. | | 2 25 | | |
| 10 to 12 ft. | | 3 75 | | |
| HALESIA carolina (tetraptera) | <i>Silver Bell</i> | | | |
| 3 to 4 ft. | | 75 | 7 50 | |
| 4 to 6 ft. | | 90 | | |
| HAMAMELIS virginiana | <i>Witch Hazel</i> | | | |
| 3 to 4 ft. | | 60 | 5 00 | |
| 4 to 6 ft. | | 75 | 6 75 | 60 00 |
| HIBISCUS syriacus (in colors) | <i>Single Flowered Rose of Sharon</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | |
| syr. var. speciosus (pink, purple, red and white) | <i>Dble. Flowered Rose of Sharon</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | 50 00 |
| syr. var. spec.-tree form (red and white) | | | | |
| 6 to 7 ft. | | 2 00 | 17 50 | 150 00 |
| HYDRANGEA arborescens grandiflora | <i>Hills of Snow</i> | | | |
| 2 to 3 ft. | | 50 | | |
| 3 to 4 ft. | | 75 | | |
| paniculata | <i>Single Flowered Hydrangea</i> | | | |
| 2 to 3 ft. | | 50 | 4 25 | 36 00 |
| 3 to 4 ft. | | 60 | 5 25 | 45 00 |
| panic. grandiflora | <i>Dble. Flowered Hydrangea</i> | | | |
| 18 to 24 in. | | 50 | 4 50 | 40 00 |
| 2 to 3 ft. | | 75 | 6 00 | 54 00 |
| 3 to 4 ft. | | 1 00 | 8 50 | 66 00 |
| panic. gran.-tree form | | | | |
| No. 1 | | 1 75 | 15 00 | |
| No. 2 | | 1 50 | 12 00 | 90 00 |
| ILEX verticillata | <i>Black Alder</i> | | | |
| 18 to 24 in. | | 50 | 4 50 | 40 00 |
| 2 to 3 ft. | | 75 | 6 00 | |
| 3 to 4 ft. X | | 1 00 | 7 50 | |
| 4 to 6 ft. X | | 1 50 | | |
| ITEA virginica | <i>Virginian Willow</i> | | | |
| 18 to 24 in. | | 45 | 3 60 | |
| JUGLANS nigra | <i>Black Walnut</i> | | | |
| 2 to 3 ft. | | 1 00 | 7 50 | |
| 3 to 4 ft. | | 1 25 | 9 00 | |
| 4 to 6 ft. | | 1 50 | 12 00 | |
| regia | <i>English Walnut</i> | | | |
| 6 to 8 ft. | | 2 00 | | |
| 8 to 10 ft. | | 2 50 | | |
| Sieboldiana | <i>Japanese Walnut</i> | | | |
| 4 to 6 ft. | | 1 00 | 9 00 | |
| 6 to 8 ft. | | 1 25 | 10 00 | |

| | | Each | Per 10 | Per 100 |
|---------------------------------|---------------------------------------|------|---------|----------|
| KERRIA japonica (corchorus) | <i>Japanese Rose</i> | | | |
| 18 to 24 in. | | 40 | 3 50 | 30 00 |
| KOELREUTARIA paniculata | <i>Varnish Tree</i> | | | |
| 6 to 8 ft. | | 1 75 | 15 00 | |
| 8 to 10 ft. | | 2 25 | 18 00 | |
| LABURNUM anagyroides (vulgare) | <i>Golden Chain</i> | | | |
| 18 to 24 in. | | 50 | 4 00 | 30 00 |
| LIGUSTRUM acuminatum (ciliatum) | | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 5 00 | |
| ibota | | | | |
| 2 to 3 ft. | | 40 | 3 25 | 25 00 |
| 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| ibota var. Regelianum | <i>Regel's Privet</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | |
| ovalifolium | <i>California Privet</i> | | Per 100 | Per 1000 |
| 12 to 18 in. | | | 4 00 | 40 00 |
| 18 to 24 in. | | | 6 00 | 60 00 |
| 2 to 3 ft. | | | 9 00 | 90 00 |
| 3 to 4 ft. | | | 12 00 | 120 00 |
| 3 to 4 ft. X | | | 15 00 | |
| ovalifolium-globes | <i>Globe-shaped California Privet</i> | | | |
| 12 to 18 in. | | 1 25 | 12 00 | |
| 18 to 24 in. | | 1 75 | 15 00 | |
| ovalifolium—tree form | <i>Tree-shaped California Privet</i> | | | |
| 2 ft. stem | | 2 00 | 17 50 | 150 00 |
| 2½ ft. stem | | 2 25 | 20 00 | 180 00 |
| LIQUIDAMBER styraciflua | <i>Sweet Gum</i> | | | |
| 4 to 6 ft. | | 1 50 | 13 50 | 120 00 |
| 6 to 8 ft. | | 2 00 | 17 50 | 150 00 |
| 8 to 10 ft. | | 2 25 | | |
| 1½ in. | | 2 50 | | |
| 2 in. | | 3 75 | | |
| LIRIODENDRON tulipifera | <i>Tulip Tree</i> | | | |
| 6 to 8 ft. | | 1 50 | 13 50 | 120 00 |
| 8 to 10 ft. | | 2 00 | 17 50 | 165 00 |
| 1½ in. | | 2 50 | 24 00 | |
| 2 in. | | 3 50 | 30 00 | |
| LONICERA fragrantissima | <i>Fragrant Bush Honeysuckle</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 25 | 36 00 |
| Maackii | <i>Asiatic Bush Honeysuckle</i> | | | |
| 4 to 6 ft. | | 50 | | |
| 6 to 8 ft. | | 75 | | |
| Morrowi (pink and white) | <i>Japanese Bush Honeysuckle</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 25 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| Ruprechtiana | <i>Manchurian Honeysuckle</i> | | | |
| 18 to 24 in. | | 35 | 3 30 | 27 00 |
| tatarica (pink, red and white) | <i>Tartarian Honeysuckle</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 25 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| MAGNOLIA glauca | <i>Swamp Bay</i> | | | |
| 2 to 3 ft. | | 4 50 | | |
| 3 to 4 ft. | | 6 00 | | |
| 6 to 8 ft. | | 9 00 | | |

| MAGNOLIA — Continued | | Each | Per 10 | Per 100 |
|----------------------------------|--------------------------------------|-------|--------|---------|
| Soulangeana | <i>Pink Magnolia</i> | | | |
| 2 to 3 ft. | | 8 00 | | |
| 3 to 4 ft. | | 10 00 | | |
| 4 to 6 ft. | | 12 00 | | |
| tripetala | <i>Umbrella Tree</i> | | | |
| 2 to 3 ft. | | 1 00 | 7 50 | 60 00 |
| 3 to 4 ft. | | 1 50 | 12 00 | 100 00 |
| 4 to 6 ft. | | 2 00 | 15 00 | 120 00 |
| 6 to 8 ft. | | 2 50 | 24 00 | |
| 2 in. | | 4 00 | 37 50 | |
| 3 in. | | 6 00 | | |
| MORUS tatarica pendula | <i>Weeping Mulberry</i> | | | |
| 1 year X | | 3 50 | 32 50 | 300 00 |
| 2 years | | 4 25 | 40 00 | 375 00 |
| MYRICA cerifera | <i>Bayberry</i> | | | |
| 18 to 24 in. | | 40 | 3 50 | 30 00 |
| 2 to 3 ft. | | 50 | 4 50 | 36 00 |
| 3 to 4 ft. | | 75 | 6 75 | 60 00 |
| OXYDENDRUM arboreum (Andromeda) | <i>Sour Wood or Sorrel Tree</i> | | | |
| 2 to 3 ft. | | 75 | 7 00 | 60 00 |
| 3 to 4 ft. | | 1 25 | 10 50 | 90 00 |
| 4 to 6 ft. | | 1 50 | 13 50 | 120 00 |
| 6 to 8 ft. | | 2 00 | 17 50 | 150 00 |
| PAULOWNIA tomentosa (imperialis) | <i>Empress Tree</i> | | | |
| 2 to 3 ft. | | 1 25 | 10 00 | |
| PAVIA (See Aesculus) | | | | |
| PHILADELPHUS coronarius | <i>Mock Orange</i> | | | |
| 2 to 3 ft. | | 35 | 3 25 | 27 00 |
| 3 to 4 ft. | | 40 | 3 75 | 33 00 |
| 4 to 6 ft. | | 50 | 4 75 | 42 00 |
| 6 to 8 ft. | | 75 | 6 00 | 50 00 |
| coron. var. foliis aureis | <i>Golden Leaved Syringa</i> | | | |
| 12 to 18 in. | | 40 | 3 50 | |
| 18 to 24 in. | | 50 | 4 50 | |
| 2 to 3 ft. | | 75 | 6 00 | |
| 3 to 4 ft. | | 1 00 | 7 50 | |
| laxus | <i>Chinese Syringa</i> | | | |
| 2 to 3 ft. | | 35 | 3 25 | 27 00 |
| 3 to 4 ft. | | 40 | 3 75 | 33 00 |
| 4 to 6 ft. | | 50 | 4 75 | 42 00 |
| 6 to 8 ft. | | 75 | 6 00 | 50 00 |
| Lemoinei var. Boule de Neige | <i>Dwarf White Flowering Syringa</i> | | | |
| 2 to 3 ft. | | 40 | 3 00 | |
| 3 to 4 ft. | | 60 | 4 50 | |
| Lewisii (Gordonianus) | | | | |
| 2 to 3 ft. | | 35 | 3 25 | 27 00 |
| 3 to 4 ft. | | 40 | 3 75 | 33 00 |
| 4 to 6 ft. | | 50 | 4 75 | 42 00 |
| 6 to 8 ft. | | 75 | 6 00 | 50 00 |
| prunifolia | | | | |
| 2 to 3 ft. | | 35 | 3 25 | 27 00 |
| 3 to 4 ft. | | 40 | 3 75 | 33 00 |
| 4 to 6 ft. | | 50 | 4 75 | 42 00 |
| 6 to 8 ft. | | 75 | 6 00 | 50 00 |
| pubescens (grandiflorus) | <i>Large Flowering Syringa</i> | | | |
| 2 to 3 ft. | | 35 | 3 25 | 27 00 |
| 3 to 4 ft. | | 40 | 3 75 | 33 00 |
| 4 to 6 ft. | | 50 | 4 75 | 42 00 |
| 6 to 8 ft. | | 75 | 6 00 | 50 00 |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| PHOTINIA villosa | | | |
| 4 to 6 ft. | 75 | 6 00 | |
| 4 to 6 in. | | | 6 00 |
| PHYSOCARPUS opulifolius (spirea) <i>Ninebark</i> | | | |
| 2 to 3 ft. | 40 | 3 50 | 27 00 |
| 3 to 4 ft. | 50 | 4 00 | 30 00 |
| 4 to 6 ft. | 75 | 6 00 | 45 00 |
| opulifolius var. aureus <i>Golden Leaved Ninebark</i> | | | |
| 2 to 3 ft. | 40 | 3 50 | 27 00 |
| 3 to 4 ft. | 50 | 4 00 | 30 00 |
| 4 to 6 ft. | 75 | 6 00 | 45 00 |
| PLATANUS acerifolia (orientalis) <i>European Plane Tree</i> | | | |
| 1¼ in. | 1 50 | 13 50 | 120 00 |
| 1½ in. | 2 00 | 18 00 | 165 00 |
| 1¾ in. | 3 25 | 30 00 | 250 00 |
| 2 in. | 3 75 | 36 00 | 300 00 |
| 2½ in. | 5 00 | 45 00 | 400 00 |
| 3 in. | 6 00 | 55 00 | |
| POPULUS alba (nivea) <i>White Poplar</i> | | | |
| 4 to 6 ft. | 75 | 6 00 | 45 00 |
| 1 in. | 1 25 | 9 00 | |
| 1¼ in. | 1 50 | 12 00 | |
| deltoides var. monolifera <i>Carolina Poplar</i> | | | |
| 1¼ in. | 90 | 8 00 | 70 00 |
| 1½ in. | 1 25 | 10 00 | 80 00 |
| 1¾ in. | 1 75 | 15 00 | |
| 2 in. | 2 00 | 18 00 | |
| nigra var. italica (fastigiata) <i>Lombardy Poplar</i> | | | |
| 6 to 8 ft. | 60 | 5 50 | 45 00 |
| 1 in. | 70 | 6 00 | 50 00 |
| 1¼ in. | 90 | 7 50 | 60 00 |
| 1½ in. | 1 25 | 11 00 | |
| PRUNUS cerasifera var. Pissardi <i>Purple Leaved Cherry Plum</i> | | | |
| 3 to 4 ft. | 75 | 6 00 | |
| 4 to 6 ft. | 1 00 | 7 50 | |
| PTELIA trifoliata <i>Hop Tree</i> | | | |
| Seedlings, 6 to 10 in. | | | 2 00 |
| PYRUS arbutifolia (See Aronia) | | | |
| Halliana var. Parkmanii <i>Parkman's Flowering Crab</i> | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3 to 4 ft. | 1 50 | 13 50 | |
| 4 to 6 ft. | 1 75 | 15 00 | |
| ioensis (Bechtels) <i>Bechtel's Flowering Crab</i> | | | |
| 2 to 3 ft. | 1 25 | | |
| 3 to 4 ft. | 1 50 | | |
| 4 to 6 ft. | 1 75 | | |
| pulcherrima (floribunda) <i>Flowering Crab</i> | | | |
| 2 to 3 ft. | 1 25 | 12 00 | 100 00 |
| 3 to 4 ft. | 1 50 | 13 50 | 120 00 |
| 4 to 6 ft. | 1 75 | 15 00 | |
| pulcherrima var. Scheideckeri <i>Scheidecker's Flowering Crab</i> | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3 to 4 ft. | 1 50 | 13 50 | |
| 4 to 6 ft. | 1 75 | 15 00 | |
| spectabilis <i>Chinese Flowering Apple</i> | | | |
| 3 to 4 ft. | 1 50 | 13 50 | |
| 4 to 6 ft. | 1 75 | 15 00 | |
| QUERCUS coccinea <i>Scarlet Oak</i> | | | |
| 4 to 6 ft. | 1 50 | 12 00 | |
| 6 to 8 ft. | 1 75 | 15 00 | |
| 2 in. | 3 75 | | |
| 3 in. | 4 50 | | |
| 4 in. | 6 00 | | |

| QUERQUS — Continued | | Each | Per 10 | Per 100 |
|-----------------------------|----------------------------------|-------|--------|---------|
| macrocarpa | <i>Mossy Cup Oak</i> | | | |
| 1½ in. | | 2 50 | 25 00 | |
| 1¾ in. | | 3 00 | 30 00 | |
| 2 in. | | 3 75 | 37 50 | |
| 2½ in. | | 6 00 | 45 00 | |
| 3 in. | | 9 00 | 75 00 | |
| palustris | <i>Pin Oak</i> | | | |
| 1¼ in. | | 2 25 | 20 00 | 180 00 |
| 1½ in. | | 2 75 | 26 00 | 240 00 |
| 1¾ in. | | 3 50 | 32 50 | 300 00 |
| 2 in. | | 4 50 | 42 50 | 375 00 |
| 2½ in. | | 5 50 | 50 00 | 450 00 |
| 3 in. | | 7 50 | 60 00 | |
| 4 in. | | 10 00 | 90 00 | |
| rubra | <i>Red Oak</i> | | | |
| 6 to 8 ft. | | 1 75 | 15 00 | |
| 8 to 10 ft. | | 2 25 | 20 00 | |
| 1½ in. | | 3 25 | 30 00 | |
| 1¾ in. | | 3 75 | 35 00 | |
| 2 in. | | 4 50 | 42 50 | |
| 2½ in. | | 6 00 | | |
| RHAMNUS cathartica | <i>Buckthorn</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | |
| 3 to 4 ft. | | 60 | 4 50 | |
| RHODOTYPOS Kerrioides | <i>White Kerria</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| Seedlings, 6 to 10 in. | | | | 5 00 |
| RHUS canadensis (aromatica) | <i>Aromatic Sumac</i> | | | |
| 2 to 3 ft. | | 50 | 4 00 | |
| 3 to 4 ft. | | 60 | 5 00 | |
| copallina | <i>Shining Sumac</i> | | | |
| 3 to 4 ft. | | 50 | 3 60 | |
| 4 to 6 ft. | | 60 | 4 50 | |
| cotinus | <i>Smoke Bush</i> | | | |
| 4 to 6 ft. | | 75 | | |
| typhina var. laciniata | <i>Cut Leaved Staghorn Sumac</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| RIBES aureum | <i>Golden Currant</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | |
| 4 to 6 ft. | | 75 | 6 00 | |
| ROBINIA hispida | <i>Rose Acacia</i> | | | |
| 2 to 3 ft. | | 50 | 4 00 | |
| 3 to 4 ft. | | 60 | 5 00 | |
| 4 to 6 ft. | | 75 | 6 00 | |
| ROSA blanda | <i>Meadow Rose</i> | | | |
| 12 to 18 in. | | 30 | 2 75 | 24 00 |
| 18 to 24 in. | | 35 | 3 25 | 27 00 |
| carolina | <i>Swamp Rose</i> | | | |
| 3 to 4 ft. | | 60 | 4 50 | 36 00 |
| multiflora Japonica | <i>Japanese Climbing Rose</i> | | | |
| 3 to 4 ft. | | 60 | 4 50 | 36 00 |
| nitida | <i>Wild Rose</i> | | | |
| 12 to 18 in. | | 30 | 2 75 | 24 00 |
| 18 to 24 in. | | 35 | 3 25 | 27 00 |
| rubiginosa | <i>Sweetbriar</i> | | | |
| 12 to 18 in. | | 30 | 2 75 | 24 00 |
| 18 to 24 in. | | 40 | 3 50 | 30 00 |

| ROSA — Continued | | Each | Per 10 | Per 100 |
|---------------------------|-----------------------------------|-----------------------|--------|---------|
| rugosa | <i>Japanese Wild Rose</i> | | | |
| 12 to 18 in. | | 30 | 2 75 | 24 00 |
| 18 to 24 in. | | 40 | 3 50 | 27 00 |
| 2 to 3 ft. | | 50 | 4 50 | 36 00 |
| rugosa var. alba | <i>White Japanese Rose</i> | | | |
| 12 to 18 in. | | 30 | 2 75 | 24 00 |
| 18 to 24 in. | | 40 | 3 50 | 27 00 |
| 2 to 3 ft. | | 50 | 4 50 | 36 00 |
| rugosa var. albo-plena | <i>Dble. White Japanese Rose</i> | | | |
| 2 to 3 ft. | | 60 | 5 50 | 45 00 |
| 3 to 4 ft. | | 75 | 7 00 | 60 00 |
| rugosa var. rubro-plena | <i>Dble. Red Japanese Rose</i> | | | |
| 12 to 18 in. | | 50 | 4 00 | |
| 18 to 24 in. | | 60 | 4 50 | |
| setigera | <i>Prairie Rose</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 27 00 |
| 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| virginiana (lucida) | <i>Glossy Rose</i> | | | |
| 12 to 18 in. | | 30 | 2 75 | 24 00 |
| 18 to 24 in. | | 35 | 3 25 | 27 00 |
| Wichuraiana | <i>Memorial Rose</i> | | | |
| 1 year | | 35 | 3 00 | 24 00 |
| 2 years | | 50 | 4 50 | 36 00 |
| SALISBURIA (See Ginko) | | | | |
| SALIX babylonica | <i>Weeping Willow</i> | | | |
| 6 to 8 ft. | | 75 | 7 00 | 60 00 |
| 1¼ in. | | 1 25 | 11 00 | 90 00 |
| 1½ in. | | 1 50 | 12 50 | 100 00 |
| Caprea | <i>Pussy or Goat Willow</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | 36 00 |
| 3 to 4 ft. | | 60 | 5 25 | 45 00 |
| 4 to 6 ft. | | 75 | 7 00 | 60 00 |
| elegantissima | <i>Thurlow's Weeping Willow</i> | | | |
| 6 to 8 ft. | | 75 | 7 00 | 60 00 |
| 1¼ in. | | 1 25 | 11 00 | 90 00 |
| 1½ in. | | 1 50 | 12 50 | 100 00 |
| incana (rosmarinifolia) | <i>European Red Barked Willow</i> | | | |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| 6 to 8 ft. | | 1 00 | 7 50 | 60 00 |
| pentandra | <i>Laurel Leaved Willow</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 60 | 5 00 | 40 00 |
| 6 to 8 ft. | | 75 | 6 00 | 45 00 |
| 8 to 10 ft. | | 1 25 | 11 00 | 90 00 |
| 10 to 12 ft. | | 1 50 | 12 50 | |
| vitellina var. aurea | <i>Golden Barked Willow</i> | | | |
| 2 to 3 ft. | | | | |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 60 | 5 00 | 42 00 |
| 6 to 8 ft. | | 75 | 6 00 | |
| 8 to 10 ft. | | 1 25 | 12 00 | |
| 10 to 14 ft. | | 1 50 | 12 50 | |
| vitellina var. britzensis | <i>Red Barked Willow</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 60 | 5 00 | 40 00 |
| 6 to 8 ft. | | 75 | 6 50 | 50 00 |
| 8 to 10 ft. | | 1 00 | 9 00 | |
| SAMBUCUS canadensis | | <i>American Elder</i> | | |
| 2 to 3 ft. | | 40 | 3 50 | |
| 3 to 4 ft. | | 50 | 4 50 | 36 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |

| SAMBUCUS — Continued | | Each | Per 10 | Per 100 |
|----------------------|------------------------------------|--|--------|---------|
| nigra | var. aurea | <i>Golden Elder</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 50 | 4 50 | 36 00 |
| | 4 to 6 ft. | 75 | 6 00 | 45 00 |
| SOPHORA | japonica | <i>Japanese Pagoda Tree</i> | | |
| | 2 to 3 ft. | 1 20 | | |
| | 3 to 4 ft. | 1 50 | | |
| SORBARIA | Aitchisonii | <i>Aitchison's Spirea</i> | | |
| | 2 to 3 ft. | 50 | 3 75 | |
| SORBUS | Aucuparia | <i>European Mountain Ash</i> | | |
| | 6 to 8 ft. | 1 50 | | |
| SPIREA | Atchisonii (See Sorbaria) | | | |
| | Billiardii | | | |
| | 2 to 3 ft. | 40 | 3 50 | 24 00 |
| | 3 to 4 ft. | 50 | 4 00 | 30 00 |
| | 4 to 6 ft. | 75 | 6 00 | 45 00 |
| | Bumalda | <i>Pink Everblooming Spirea</i> | | |
| | 12 to 18 in. | 40 | 3 50 | 30 00 |
| | 18 to 24 in. | 50 | 4 50 | 36 00 |
| | B. var. Anthony Waterer | <i>Red Everblooming Spirea</i> | | |
| | 12 to 18 in. | 50 | 4 00 | 30 00 |
| | 18 to 24 in. | 60 | 4 50 | 36 00 |
| | opulifolia (See Physocarpus) | | | |
| | opulifolia aurea (See Physocarpus) | | | |
| | prunifolia var. plena | <i>Bridal Wreath</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 30 00 |
| | 3 to 4 ft. | 60 | 5 50 | 36 00 |
| | Thunbergii | <i>Thunberg's Spirea or Snow Garland</i> | | |
| | 12 to 18 in. | 40 | 3 50 | 24 00 |
| | 18 to 24 in. | 50 | 4 00 | 30 00 |
| | Vanhouttei | <i>Vanhoutte's Bridal Wreath</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 24 00 |
| | 3 to 4 ft. | 50 | 4 00 | 30 00 |
| | 4 to 6 ft. | 75 | 6 00 | 36 00 |
| STAPHYLEA | Colchica | <i>Bladder Nut</i> | | |
| | 2 to 3 ft. | 60 | | |
| | 3 to 4 ft. | 75 | | |
| STEPHANANDRA | incisa (Flexuosa) | <i>Lace Shrub</i> | | |
| | 2 to 3 ft. | 40 | | |
| | 3 to 4 ft. | 50 | | |
| STEWARTIA | pentagyna | | | |
| | 18 to 24 in. | 1 00 | 9 00 | |
| | 2 to 3 ft. | 1 25 | 12 00 | |
| STYRAX | japonica | | | |
| | 6 to 8 ft. | 1 00 | 9 00 | |
| SYMPHORICARPOS | albus (racemosus) | <i>Snowberry</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 24 00 |
| | 3 to 4 ft. | 50 | 4 00 | 30 00 |
| | 4 to 6 ft. | 75 | 6 00 | 45 00 |
| | orbiculatus (vulgaris) | <i>Indian Currant</i> | | |
| | 2 to 3 ft. | 40 | 3 50 | 24 00 |
| | 3 to 4 ft. | 50 | 4 00 | 30 00 |
| | 4 to 6 ft. | 75 | 5 00 | 33 00 |
| SYMPLOCOS | paniculata (crataegoides) | | | |
| | 18 to 24 in. | 50 | 4 50 | |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| SYRINGA hybrids | | | |
| (A. Lavallo, Chas. X, Frau B. Dauman, Mad. Buchner, Mad. Callot, Mad. Perrier, M. le Gray, Pres. Grevy, Rubra de Marly, Souv. de la Spaethii, Wm. Robinson & others) | | | |
| 2 to 3 ft. | 60 | 5 50 | 50 00 |
| 3 to 4 ft. | 75 | 7 00 | 60 00 |
| Josikaea <i>Hungarian Lilac</i> | | | |
| 3 to 4 ft. | 60 | | |
| 4 to 6 ft. | 75 | | |
| persica <i>Persian Lilac</i> | | | |
| 2 to 3 ft. | 50 | 4 50 | |
| 3 to 4 ft. | 60 | 5 00 | |
| persica var. alba <i>White Persian Lilac</i> | | | |
| 2 to 3 ft. | 50 | 4 50 | |
| 3 to 4 ft. | 60 | 5 00 | |
| persica var. rothomagensis <i>Red Persian Lilac</i> | | | |
| 2 to 3 ft. | 50 | 4 50 | |
| 3 to 4 ft. | 60 | 5 00 | |
| villosa <i>Himalayan Lilac</i> | | | |
| 2 to 3 ft. | 50 | | |
| 3 to 4 ft. | 60 | | |
| vulgaris <i>Common Purple Lilac</i> | | | |
| 2 to 3 ft. | 40 | 3 50 | 27 00 |
| 3 to 4 ft. | 50 | 4 00 | 30 00 |
| 4 to 6 ft. | 75 | 6 00 | |
| vulgaris var. alba <i>Common White Lilac</i> | | | |
| 2 to 3 ft. | 50 | 4 50 | 30 00 |
| 3 to 4 ft. | 60 | 5 50 | 45 00 |
| 4 to 6 ft. | 75 | 6 00 | |
| TAMARIX gallica var. indica | | | |
| 3 to 4 ft. | 50 | 4 00 | 30 00 |
| 4 to 6 ft. | 75 | 6 00 | 45 00 |
| odessana | | | |
| 2 to 3 ft. | 40 | 3 50 | 24 00 |
| 3 to 4 ft. | 50 | 4 00 | 30 00 |
| 4 to 6 ft. | 75 | 6 00 | 45 00 |
| parviflora (africana) <i>African Tamarisk</i> | | | |
| 2 to 3 ft. | 40 | 3 50 | 24 00 |
| 3 to 4 ft. | 50 | 4 00 | 30 00 |
| 4 to 6 ft. | 75 | 6 00 | 45 00 |
| TILIA americana <i>American Linden</i> | | | |
| 1¼ in. | 2 75 | 25 00 | |
| 2 in. | 3 50 | 30 00 | |
| 2½ in. | 4 25 | 35 00 | |
| 3 in. | 5 00 | 45 00 | |
| 4 in. | 7 50 | 60 00 | |
| cordata <i>Small Leaved Linden</i> | | | |
| 6 to 8 ft. | 1 25 | 12 00 | 105 00 |
| 3 in. | 6 00 | | |
| euchlora (dasystyla) <i>Crimean Linden</i> | | | |
| 6 to 8 ft. | 1 25 | 12 00 | |
| 2 in. | 3 75 | 30 00 | |
| 2½ in. | 4 25 | | |
| platyphyllos <i>Large Leaved Lime</i> | | | |
| 1¼ in. | 1 75 | 15 00 | |
| 1½ in. | 2 50 | 21 00 | |
| 1¾ in. | 3 00 | 25 00 | |
| 2 in. | 3 60 | 30 00 | |
| 2½ in. | 4 25 | 36 00 | |
| 3 in. | 5 00 | 45 00 | |
| 4 in. | 6 00 | | |

| TILIA — Continued | | Each | Per 10 | Per 100 |
|----------------------|----------------------------------|------|--------|---------|
| tomentosa (argentea) | <i>White or Silver Linden</i> | | | |
| 2 in. | | 3 75 | | |
| 2½ in. | | 5 00 | | |
| 3 in. | | 7 00 | | |
| vulgaris (europaea)* | <i>Common Linden</i> | | | |
| 1¾ in. | | 2 75 | 25 00 | |
| 2 in. | | 3 50 | 30 00 | |
| 2½ in. | | 4 25 | 36 00 | |
| 3 in. | | 5 00 | 42 00 | |
| 4 in. | | 6 00 | 50 00 | |
| ULMUS americana | <i>American Elm</i> | | | |
| 1¾ in. | | 2 00 | 19 00 | 180 00 |
| 1½ in. | | 2 50 | 24 00 | 210 00 |
| 1¾ in. | | 3 00 | 27 00 | 250 00 |
| 2 in. | | 3 75 | 36 00 | 300 00 |
| 2½ in. | | 4 50 | 42 00 | 375 00 |
| 3 in. | | 6 00 | 55 00 | 450 00 |
| 4 in. | | 9 00 | | |
| VIBURNUM acerifolium | <i>Dockmackie</i> | | | |
| 2 to 3 ft. | | 40 | 3 75 | 36 00 |
| 3 to 4 ft. | | 50 | 4 50 | |
| 4 to 6 ft. | | 75 | 6 00 | |
| americanum | <i>High Bush Cranberry</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 40 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| Carlesii | <i>Korean Snowball, fragrant</i> | | | |
| 12 in. | | 3 00 | 24 00 | |
| cassinoides | <i>Withe Rod</i> | | | |
| 2 to 3 ft. | | 40 | 3 75 | 36 00 |
| 3 to 4 ft. | | 50 | 4 50 | |
| dentatum | <i>Arrow Wood</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 42 00 |
| 4 to 6 ft. | | 75 | 6 00 | |
| dilatatum | | | | |
| 2 to 3 ft. | | 60 | 5 00 | 45 00 |
| 3 to 4 ft. | | 75 | 6 00 | |
| Lantana | <i>Wayfaring Tree</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | |
| 3 to 4 ft. | | 50 | 4 50 | |
| 4 to 6 ft. | | 75 | 6 00 | |
| Lantana var. rugosum | | | | |
| 2 to 3 ft. | | 50 | | |
| Lentago | <i>Sheep Berry</i> | | | |
| 18 to 24 in. | | 40 | 3 60 | |
| Opulus | <i>European Cranberry Bush</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | 42 00 |
| 4 to 6 ft. | | 75 | 6 00 | 45 00 |
| Opulus var. nanum | <i>Dwarf Cranberry Bush</i> | | | |
| 10 to 12 in. | | 40 | 3 00 | |
| Opulis var. sterile | <i>Snowball</i> | | | |
| 2 to 3 ft. | | 40 | 3 50 | 30 00 |
| 3 to 4 ft. | | 50 | 4 50 | |
| prunifolium | <i>Stag Bush</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | 42 00 |
| 3 to 4 ft. | | 60 | 5 00 | |
| 6 to 8 ft. XX | | 1 50 | 12 00 | |
| Sieboldii | <i>Siebold's Snowball</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | |
| 3 to 4 ft. | | 60 | 5 00 | |

| VIBURNUM — Continued | | Each | Per 10 | Per 100 |
|-----------------------------------|--------------------------|------|--------|---------|
| tomentosum | <i>Japanese Viburnum</i> | | | |
| 2 to 3 ft. | | 50 | 4 50 | |
| 3 to 4 ft. | | 60 | | |
| tomentosum var. plenum (plicatum) | <i>Japanese Snowball</i> | | | |
| 18 to 24 in. | | 60 | 5 50 | 45 00 |
| 2 to 3 ft. | | 75 | 6 00 | |
| 3 to 4 ft. | | 1 00 | 7 50 | |
| ZANTHORHIZA apiifolia | <i>Yellow Root</i> | | | |
| 8 to 12 in. | | 25 | 1 80 | 12 00 |

VINES

| | | | | |
|---|---------------------------------|------|------|-------|
| AKEBIA quinata | | | | |
| 2 to 3 ft. | | 50 | 4 50 | |
| AMPELOPSIS (See Parthenocissus) | | | | |
| ARISTOLOCHIA macrophylla (Sipho) | <i>Dutchman's Pipe</i> | | | |
| No. 1 | | 50 | 4 50 | |
| No. 2 | | | | |
| BIGNONIA (See Tecoma) | | | | |
| CELASTRUS scandens | <i>Bittersweet</i> | | | |
| 1 to 2 ft. | | 40 | 3 60 | |
| 2 to 3 ft. | | 50 | 4 50 | |
| Seedlings, 6 to 10 in. | | | | 5 00 |
| CLEMATIS hybrids | <i>Large Flowering Clematis</i> | | | |
| No. 1 | | 75 | | |
| paniculata | <i>Japanese Clematis</i> | | | |
| 2 years | | 50 | 4 50 | 30 00 |
| XX | | 60 | 5 40 | 45 00 |
| HEDERA helix (field grown) | <i>English Ivy</i> | | | |
| 2 years | | 50 | 3 60 | |
| KUDSU (See Pueraria) | | | | |
| LONICERA japonica var. Halliana | <i>Honeysuckle</i> | | | |
| No. 1 | | 30 | 2 70 | 21 00 |
| X | | 35 | 3 30 | 24 00 |
| sempervirens | <i>Trumpet Honeysuckle</i> | | | |
| 2 to 3 ft. | | 50 | 3 60 | |
| PARTHENOCISSUS quinquefolia (Ampelopsis quinquefolia) | <i>Virginia Creeper</i> | | | |
| No. 1 | | 40 | 3 25 | 24 00 |
| XX | | 50 | 4 25 | |
| tricuspidata (Amelopsis Veitchii) Boston Ivy | | | | |
| No. 1 | | 40 | 3 25 | 24 00 |
| XX | | 50 | 4 20 | |
| PUERARIA hirsuta | <i>Kudzu Vine</i> | | | |
| 2 years | | 50 | 4 20 | |
| TECOMA radicans | <i>Trumpet Vine</i> | | | |
| 2 to 3 ft. | | 50 | 3 60 | 24 00 |
| WISTARIA floribunda (brachybotrys) Japanese Wistaria | | | | |
| 2 to 3 ft. | | 50 | | |
| sinensis | <i>Chinese Wistaria, Purple</i> | | | |
| 18 to 24 in. | | 40 | 3 50 | 30 00 |
| 2 to 3 ft. | | 50 | 4 50 | 36 00 |
| 3 to 4 ft. | | 75 | 6 00 | 45 00 |
| 4 to 6 ft. X | | 1 50 | | |
| sinensis var. alba | <i>Chinese Wistaria, White</i> | | | |
| 18 to 24 in. | | 40 | 3 50 | 30 00 |
| 2 to 3 ft. | | 50 | 4 50 | |
| venusta (new) | <i>Silky White Wistaria</i> | | | |
| 18 to 24 in. | | 40 | 3 50 | 30 00 |
| 2 to 3 ft. | | 50 | 4 50 | 36 00 |

EVERGREENS AND EVERGREEN SHRUBS

All our evergreens are two or three or more times transplanted and, excepting a few only, have been transplanted within two years, and are therefore in best possible condition. Most of them have been sheared one or more times. All priced at \$1.00 each and up will be balled and burlapped free. A charge of 10 cents each will be made for burlapping trees quoted at less than \$1.00 each.

| | | Each | Per 10 | Per 100 |
|------------------------------------|----------------------------------|-------|--------|---------|
| ABIES concolor | <i>White or Concolor Fir</i> | | | |
| 2 to 3 ft. | | 5 00 | 45 00 | |
| 3 to 4 ft. | | 6 50 | 60 00 | |
| 4 to 5 ft. | | 7 50 | | |
| Nordmanniana | <i>Nordmann's Fir</i> | | | |
| 18 to 24 in. | | 2 00 | 18 00 | |
| 2 to 3 ft. | | 4 00 | 36 00 | |
| 3 to 4 ft. | | 4 50 | | |
| 4 to 5 ft. | | 6 00 | | |
| Veitchii | <i>Japanese Fir</i> | | | |
| 2 to 3 ft. | | 3 60 | | |
| 3 to 4 ft. | | 4 50 | | |
| ANDROMEDA (See Pieris) | | | | |
| AZALEA Amoena | <i>Japanese Evergreen Azalea</i> | | | |
| 8 to 12 in. | | | | |
| 12 to 18 in. | | 1 75 | 15 00 | |
| 3 to 4 ft. X | | 24 00 | | |
| Jap. var. Hinodigiri (red) | <i>Japanese Evergreen Azalea</i> | | | |
| 8 to 12 in. | | 2 00 | | |
| 12 to 18 in. | | 3 00 | 24 00 | |
| 18 to 24 in. | | 3 75 | | |
| Jap. var. Kaempferi | <i>Japanese Flame Azalea</i> | | | |
| 12 to 18 in. | | 2 75 | 25 00 | |
| 18 to 24 in. | | 3 50 | 30 00 | |
| 2 to 3 ft. | | 4 00 | | |
| 3 to 4 ft. | | 5 00 | 45 00 | |
| BIOTA orientalis | <i>Oriental Arbor-Vitae</i> | | | |
| 12 to 18 in. | | 75 | 6 00 | |
| 18 to 24 in. | | 1 00 | 9 00 | |
| 2 to 3 ft. | | 1 75 | 15 00 | |
| 5 to 7 ft. | | 9 00 | | |
| orien. nana aurea | <i>Berckman's Golden Biota</i> | | | |
| 8 to 12 in. | | 1 25 | 12 00 | 100 00 |
| 12 to 18 in. | | 1 50 | 13 50 | |
| BUXUS sempervirens | <i>Boxwood</i> | | | |
| 6 to 10 in. | | 35 | 3 00 | |
| 12 in. | | 60 | 5 00 | |
| 2 to 3 ft. X | | 6 00 | | |
| COTONEASTER horizontalis (in pots) | | | | |
| 8 to 12 in. | | 1 25 | 10 00 | 75 00 |
| CRYPTOMERIA Drachydoides | | | | |
| 2 to 3 ft. | | 5 00 | | |
| 3 to 4 ft. | | 6 00 | | |
| 4 to 5 ft. | | 7 50 | | |
| Lobbii compacta | | | | |
| 3 to 4 ft. | | | | |
| 6 to 8 ft. | | 15 00 | | |
| EVONYMUS radicans var. vegeta | <i>Evergreen Bittersweet</i> | | | |
| 8 to 12 in. | | 40 | 3 50 | |
| 12 to 18 in. | | 50 | 4 50 | |
| 18 to 24 in. | | 1 00 | 7 50 | |
| ILEX crenata | <i>Japanese Holly</i> | | | |
| 3 to 4 ft. | | 5 00 | | |
| 4 to 5 ft. | | 7 50 | | |

| ILEX — Continued | | Each | Per 10 | Per 100 |
|------------------------------|---------------------------------------|-------|--------|---------|
| glabra | <i>Ink Berry</i> | | | |
| 2 to 3 ft. X | | 3 75 | | |
| opaca | <i>American Holly</i> | | | |
| 18 to 24 in. | | 2 00 | | |
| 2 to 3 ft. | | 3 00 | | |
| JUNIPERUS chinensis | <i>Japanese Juniper</i> | | | |
| 12 to 18 in. | | 2 00 | 18 00 | |
| 18 to 24 in. | | 2 50 | 21 00 | |
| chin. var. Kosterii | | | | |
| 2 to 3 ft. | | 4 00 | 36 00 | |
| 3 to 4 ft. | | 5 00 | | |
| chin. var. Pfitzeriana | <i>Pfitzer's Juniper</i> | | | |
| 18 to 24 in. | | 2 50 | 24 00 | 225 00 |
| 2 to 3 ft. | | 3 50 | 32 50 | 300 00 |
| 3 to 4 ft. | | 6 00 | | |
| chin. var. procumbens | <i>Juniperus Japonica</i> | | | |
| 12 to 18 in. | | 2 50 | 21 00 | |
| 18 to 24 in. | | 3 75 | | |
| chin. var. pyramidalis | <i>Columnar Juniper—new</i> | | | |
| 5 to 6 ft. | | 12 00 | | |
| chin. var. Sargentii | <i>Sargent's Creeping Juniper—new</i> | | | |
| 18 to 24 in. | | 3 25 | 30 00 | |
| 2 to 3 ft. | | 3 75 | 36 00 | |
| chin. var. virginialis (new) | <i>Dwarf Globe Juniper</i> | | | |
| 12 to 18 ft. | | 3 00 | 24 00 | |
| communis (spreading type) | <i>Common Juniper</i> | | | |
| 8 to 12 in. | | 1 00 | 9 00 | 75 00 |
| 12 to 18 in. | | 1 25 | 10 00 | 90 00 |
| 18 to 24 in. | | 1 50 | 12 00 | |
| com. (upright form) | <i>Common Juniper</i> | | | |
| 12 to 18 in. | | 1 00 | | |
| 18 to 24 in. | | 1 50 | 12 00 | |
| 2 to 3 ft. | | 1 75 | 15 00 | |
| com. var. aurea | <i>Golden Juniper</i> | | | |
| 8 to 12 in. | | 1 25 | 10 00 | |
| 12 to 18 in. | | 1 50 | 12 00 | |
| com. var. suecica | <i>Swedish Juniper</i> | | | |
| 12 to 18 in. | | 1 00 | 9 00 | 75 00 |
| 18 to 24 in. | | 1 25 | 12 00 | 90 00 |
| 2 to 3 ft. | | 2 00 | 15 00 | |
| com. var. hibernica | <i>Irish Juniper</i> | | | |
| 12 to 18 in. | | 1 00 | 9 00 | 75 00 |
| 18 to 24 in. | | 1 25 | 12 00 | 90 00 |
| 2 to 3 ft. | | 1 50 | 13 50 | 120 00 |
| excelsa var. stricta | <i>Dwarf Blue Juniper</i> | | | |
| 8 to 12 in. | | 1 00 | 7 50 | 60 00 |
| 12 to 18 in. | | 1 25 | 12 00 | |
| 18 to 24 in. | | 2 50 | | |
| scopulorum | | | | |
| 18 to 24 in. | | 1 75 | 15 00 | 120 00 |
| 2 to 3 ft. | | 2 00 | 18 00 | 150 00 |
| virginiana | <i>Red Cedar</i> | | | |
| 18 to 24 in. | | 2 00 | 17 50 | 150 00 |
| 2 to 3 ft. | | 2 50 | 24 00 | 225 00 |
| 3 to 4 ft. | | 5 00 | 45 00 | |
| 4 to 6 ft. | | 7 00 | 60 00 | |
| 6 to 8 ft. | | 9 00 | | |
| virg. var. Cannartii | | | | |
| 18 to 24 in. | | 2 50 | 24 00 | 225 00 |
| 2 to 3 ft. | | 3 75 | 36 00 | |

| JUNIPERUS — Continued | | Each | Per 10 | Per 100 |
|------------------------------|--------------------------------------|------|--------|---------|
| virg. var. elegantissima | <i>Lee's Golden Cedar</i> | | | |
| 18 to 24 in. | | 2 00 | 18 00 | |
| virg. var. glauca | <i>Blue Cedar</i> | | | |
| 18 to 24 in. | | 2 50 | 24 00 | 225 00 |
| 2 to 3 ft. | | 3 75 | 36 00 | |
| 3 to 4 ft. | | 5 00 | 45 00 | |
| 4 to 5 ft. | | 6 00 | | |
| virg. var. Schottii | | | | |
| 18 to 24 in. | | 2 50 | 24 00 | 225 00 |
| 2 to 3 ft. | | 3 75 | 36 00 | 350 00 |
| 3 to 4 ft. | | 5 00 | 45 00 | |
| 4 to 5 ft. | | 6 00 | | |
| KALMIA latifolia | <i>Mountain Laurel—nursery grown</i> | | | |
| 12 to 18 in. | | 2 00 | 19 00 | 175 00 |
| 18 to 24 in. | | 3 50 | 32 50 | 300 00 |
| 2 to 2½ ft. | | 4 00 | 38 50 | 375 00 |
| 2½ to 3 ft. | | 4 75 | 45 00 | 425 00 |
| 3 to 4 ft. | | 6 50 | 62 50 | 600 00 |
| 4 ft. X | | 9 00 | | |
| Collected in car load lots. | | | | |
| Price quoted on application. | | | | |
| LEUCOTHOE Catesbaei | | | | |
| 12 to 18 in. | | 1 00 | 8 75 | 75 00 |
| MAHONIA Aquifolium | <i>Ashberry</i> | | | |
| 8 to 12 in. | | 50 | 4 50 | |
| 12 to 18 in. | | 75 | | |
| japonicum | <i>Japanese Ashberry</i> | | | |
| 8 to 12 in. | | 50 | | |
| 12 to 18 in. | | 75 | | |
| PACHYSANDRA terminalis | <i>Japanese Spurge</i> | | | |
| Divisions | | 15 | 1 20 | 10 00 |
| Clumps | | 25 | 2 25 | |
| PICEA canadensis (alba) | <i>White Spruce</i> | | | |
| 12 to 18 in. | | 1 50 | 12 00 | |
| 18 to 24 in. | | 1 75 | 15 00 | |
| 2 to 3 ft. | | 2 00 | 18 00 | |
| excelsa | <i>Norway Spruce</i> | | | |
| 12 to 18 in. | | 1 00 | 9 00 | 75 00 |
| 18 to 24 in. | | 1 50 | 12 50 | 100 00 |
| 2 to 3 ft. | | 2 00 | 18 00 | 150 00 |
| 3 to 4 ft. | | 3 50 | 30 00 | |
| excelsa var. pygmaea | <i>Dwarf Spruce</i> | | | |
| 12 to 18 in. | | 2 50 | | |
| 18 to 24 in. | | 3 00 | | |
| Omorika | <i>Servian Spruce</i> | | | |
| 2½ ft. | | 5 00 | | |
| 4 to 5 ft. | | 7 50 | | |
| orientalis | <i>Oriental Spruce</i> | | | |
| 18 to 24 in. | | 2 75 | 25 00 | |
| 2 to 3 ft. | | 3 25 | 30 00 | |
| 3 to 4 ft. | | 3 75 | | |
| 4 to 6 ft. | | 4 50 | | |
| 6 to 8 ft. | | 6 00 | | |
| pungens | <i>Colorado Spruce</i> | | | |
| 12 to 18 in. | | 1 50 | 13 50 | 120 00 |
| 18 to 24 in. | | 2 75 | 25 00 | 225 00 |
| 2 to 3 ft. | | 4 00 | 39 00 | 375 00 |
| 3 to 4 ft. | | 5 00 | | |
| pungens var. glauca | <i>Colorado Blue Spruce</i> | | | |
| 12 to 18 in. | | 4 50 | | |
| 18 to 24 in. | | 5 00 | | |

| PICEA — Continued | | Each | Per 10 | Per 100 |
|-----------------------------------|---------------------------------------|-------|--------|---------|
| pungens var. Kosterii | <i>Koster's Blue Spruce</i> | | | |
| 18 to 24 in. | | 12 00 | 120 00 | |
| 2 to 2½ ft. | | 15 00 | 150 00 | |
| 2½ to 3 ft. | | 17 00 | 170 00 | |
| 3 to 4 ft. | | 18 00 | 180 00 | |
| PIERIS floribunda | | | | |
| 12 to 18 in. | | 4 00 | 36 00 | |
| 18 to 24 in. | | 5 00 | 45 00 | |
| 2 to 3 ft. | | 6 00 | | |
| PINUS Austriaca (See Pinus nigra) | | | | |
| Cembra | <i>Swiss Stone Pine</i> | | | |
| 2 to 3 ft. | | 5 50 | | |
| 3 to 4 ft. | | 7 50 | | |
| densiflora var. Tanyosho | <i>Japanese Table Pine</i> | | | |
| 3 to 4 ft. | | 15 00 | | |
| excelsa | <i>Bhotan Pine</i> | | | |
| 2 to 3 ft. | | 2 00 | 18 00 | |
| montana var. Mughus | <i>Dwarf Mountain Pine</i> | | | |
| 12 to 18 in. | | 2 00 | 17 50 | 150 00 |
| 18 to 24 in. | | 3 00 | 27 00 | |
| 2 to 2½ ft. | | 5 00 | | |
| nigra (austriaca) | <i>Austrian Pine</i> | | | |
| 18 to 24 in. | | 1 75 | 15 00 | |
| 2 to 3 ft. | | 3 00 | 21 00 | |
| 3 to 4 ft. | | 3 50 | | |
| resinosa | <i>Red or Norway Pine</i> | | | |
| 18 to 24 in. | | 2 00 | 17 50 | 150 00 |
| 2 to 3 ft. | | 2 50 | 22 50 | 200 00 |
| rigida | <i>Pitch Pine</i> | | | |
| 2 to 3 ft. | | 1 75 | 15 00 | |
| 3 to 4 ft. | | 2 50 | 22 50 | |
| strobis | <i>White Pine</i> | | | |
| 18 to 24 in. | | 1 50 | 12 00 | |
| 2 to 3 ft. | | 2 25 | 21 00 | |
| 3 to 4 ft. | | 4 00 | 36 00 | |
| 4 to 5 ft. | | 4 50 | 40 00 | |
| 5 to 6 ft. | | 6 00 | | |
| sylvestris | <i>Scotch Pine</i> | | | |
| 18 to 24 in. | | 1 75 | 15 00 | |
| 2 to 3 ft. | | 2 25 | | |
| PSEUDOTSUGA taxifolia (Douglasii) | | | | |
| | <i>Douglas Spruce</i> | | | |
| 18 to 24 in. | | 2 50 | 24 00 | |
| 2 to 3 ft. | | 3 00 | 27 00 | |
| 3 to 4 ft. | | 4 00 | 37 50 | |
| 4 to 5 ft. | | 6 00 | | |
| RETINOSPORA compacta | | | | |
| 12 to 18 in. | | 1 25 | | |
| 18 to 24 in. | | 1 50 | | |
| filifera | <i>Thread Branched Cypress</i> | | | |
| 12 to 18 in. | | 2 00 | 18 00 | 150 00 |
| 18 to 24 in. | | 3 00 | 24 00 | |
| 2 to 3 ft. | | 4 50 | | |
| 3 to 4 ft. | | 6 00 | | |
| filifera var. aurea | <i>Golden Thread Branched Cypress</i> | | | |
| 12 to 18 in. | | 2 25 | 21 00 | 200 00 |
| 18 to 24 in. | | 4 00 | | |

| RETINOSPORA — Continued | | Each | Per 10 | Per 100 |
|---|-----------------------------------|-------|--------|---------|
| obtusa | <i>Japanese Cypress</i> | | | |
| 18 to 24 in. | | 2 25 | | |
| 2 to 3 ft. | | 3 00 | | |
| 3 to 4 ft. | | 4 50 | | |
| obtusa var. gracilis | | | | |
| 12 to 18 in. | | 3 50 | 30 00 | |
| 18 to 24 in. | | 5 00 | 45 00 | |
| obtusa var. gracilis nana | <i>Dwarf Japanese Cypress</i> | | | |
| 8 to 12 in. | | 3 50 | 30 00 | |
| pisifera | <i>Pea Fruited Cypress</i> | | | |
| 12 to 18 in. | | 1 25 | | |
| pisifera var. aurea | <i>Golden Pea Fruited Cypress</i> | | | |
| 12 to 18 in. | | 1 25 | 12 00 | |
| 18 to 24 in. | | 1 75 | 15 00 | |
| 2 to 3 ft. | | 3 00 | | |
| plumosa | <i>Plume-like Cypress</i> | | | |
| 12 to 18 in. | | 1 50 | 12 00 | 105 00 |
| 18 to 24 in. | | 2 00 | 17 50 | 150 00 |
| 2 to 3 ft. | | 3 75 | 36 00 | |
| 3 to 4 ft. | | 5 25 | | |
| plumosa var. aurea | <i>Golden Plumed Cypress</i> | | | |
| 12 to 18 in. | | 1 50 | 13 50 | 120 00 |
| 18 to 24 in. | | 2 25 | 21 00 | 180 00 |
| 2 to 3 ft. | | 3 75 | | |
| plumosa var. lutescens | | | | |
| 12 to 18 in. | | 1 50 | 14 00 | |
| 18 to 24 in. | | 2 25 | | |
| plum. var. squarrosa Veitchii | <i>Veitch's Cypress</i> | | | |
| 12 to 18 in. | | 1 50 | 13 50 | |
| 18 to 24 in. | | 2 25 | 21 00 | |
| 2 to 3 ft. X | | 6 00 | | |
| RHODODENDRON carolinianum | | | | |
| 12 to 18 in. | | 3 00 | 27 00 | |
| 18 to 24 in. | | 3 50 | 30 00 | |
| 2 to 2½ ft. | | 5 00 | 45 00 | |
| hybrids (Named var.) (In assorted colors) | | | | |
| 18 to 24 in. | | 6 00 | 50 00 | |
| 2 to 2½ ft. | | 7 00 | 60 00 | |
| 2½ to 3 ft. | | 8 00 | 75 00 | |
| 3 to 4 ft. | | 9 00 | 85 00 | |
| maximum (nursery grown) | <i>Native Rhododendron</i> | | | |
| 18 to 24 in. | | 3 50 | 30 00 | |
| 2 to 2½ ft. | | 4 00 | 37 50 | |
| 2½ to 3 ft. | | 5 00 | 48 00 | |
| 3 to 4 ft. | | 7 00 | 60 00 | |
| Collected plants in car lots. | | | | |
| Prices quoted on application. | | | | |
| SCIADOPITYS verticillata | | | | |
| | <i>Umbrella Pine</i> | | | |
| 18 to 24 in. | | 10 00 | 90 00 | |
| 2 to 3 ft. | | 13 50 | 120 00 | |
| 3 to 4 ft. | | 15 00 | | |
| 4 to 6 ft. | | 18 00 | | |
| 8 to 10 ft. | | 24 00 | | |
| TAXUS baccata | | | | |
| | <i>European Yew</i> | | | |
| 18 to 24 in. | | 1 50 | 12 00 | |
| baccata var. repandens | <i>Spreading Yew</i> | | | |
| 12 to 18 in. | | 1 50 | | |
| 18 to 24 in. | | 2 25 | | |
| baccata var. Washingtoni | <i>Washington's Golden Yew</i> | | | |
| 2 to 3 ft. X | | 6 00 | | |
| canadensis | <i>Common Yew</i> | | | |
| 12 to 18 in. | | 1 75 | 15 00 | |
| 18 to 24 in. | | 2 25 | | |

| TAXUS — Continued | | Each | Per 10 | Per 100 |
|-----------------------------------|-------------------------------------|------|--------|---------|
| cuspidata (spreading form) | <i>Japanese Yew</i> | | | |
| 12 to 18 in. | | 1 75 | 16 50 | 150 00 |
| 18 to 24 in. | | 3 50 | 33 00 | 300 00 |
| 2 to 3 ft. | | 4 50 | | |
| cucpidata capitata (upright form) | <i>Japanese Yew</i> | | | |
| 18 to 24 in. | | 4 00 | 36 00 | |
| cuspidata var. nana (brevifolia) | <i>Spreading Japanese Yew</i> | | | |
| 12 to 18 in. | | 3 00 | 27 00 | |
| 18 to 24 in. | | 5 00 | 45 00 | |
| THUYA occidentalis | <i>American Arbor-Vitae</i> | | | |
| 18 to 24 in. | | 1 50 | 12 00 | |
| 2 to 3 ft. | | 1 75 | 15 00 | |
| 3 to 4 ft. | | 2 50 | 24 00 | |
| 4 to 5 ft. | | 3 50 | 33 00 | |
| occ. aurea | <i>Peabody's Golden Arbor-Vitae</i> | | | |
| 12 to 18 in. | | 2 50 | 22 50 | |
| 18 to 24 in. | | 3 25 | 30 00 | |
| 2 to 3 ft. | | 4 00 | | |
| occ. compacta | <i>Parson's Dwarf Arbor-Vitae</i> | | | |
| 8 to 12 in. | | 1 00 | 9 00 | |
| occ. globosa | <i>Dwarf Globe Arbor-Vitae</i> | | | |
| 8 to 12 in. | | 1 25 | 10 00 | 90 00 |
| 12 to 18 in. | | 2 00 | 18 00 | 150 00 |
| occ. Hoveyi | <i>Hovey's Dwarf Arbor-Vitae</i> | | | |
| 8 to 12 in. | | 1 25 | 10 00 | 90 00 |
| 12 to 18 in. | | 2 00 | 15 00 | |
| occ. plicata | <i>Douglasii pyramidalis</i> | | | |
| 18 to 24 in. | | 2 00 | 18 00 | |
| 2 to 3 ft. | | 3 00 | | |
| occ. pyramidalis | <i>Pyramidal Arbor-Vitae</i> | | | |
| 18 to 24 in. | | 1 50 | 13 50 | 120 00 |
| 2 to 3 ft. | | 2 25 | 21 00 | |
| occ. recurva | | | | |
| 12 to 18 in. | | 1 75 | 15 00 | |
| 18 to 24 in. | | 3 00 | | |
| occ. Rosenthalii | | | | |
| 12 to 18 in. | | 1 25 | 12 00 | |
| 18 to 24 in. | | 2 00 | 18 00 | |
| occ. Vervaeana | | | | |
| 18 to 24 in. | | 2 50 | 22 50 | |
| 2 to 3 ft. | | 3 00 | 27 00 | |
| occ. Wareana | <i>Siberian Arbor-Vitae</i> | | | |
| 8 to 12 in. | | 1 25 | 11 00 | 90 00 |
| 12 to 18 in. | | 1 50 | 13 50 | 120 00 |
| 18 to 24 in. | | 2 00 | 18 00 | |
| Standishii | | | | |
| 4 to 6 ft. | | 6 00 | | |
| TSUGA canadensis | <i>Common Hemlock</i> | | | |
| 18 to 24 in. | | 1 75 | 16 50 | 150 00 |
| 2 to 2½ ft. | | 2 50 | 24 00 | 225 00 |
| 2½ to 3 ft. | | 3 50 | 32 50 | 300 00 |
| 3 to 4 ft. | | 4 25 | 40 00 | 375 00 |
| 4 to 5 ft. | | 7 00 | 65 00 | |
| 5 to 6 ft. | | 8 00 | 75 00 | |
| canadensis var. pendula | <i>Sargent's Weeping Hemlock</i> | | | |
| 3 to 4 ft. X | | 6 00 | | |
| 4 to 5 ft. X | | 7 50 | | |
| 5 to 6 ft. X | | 9 00 | | |
| caroliniana | <i>Carolina Hemlock</i> | | | |
| 3 to 4 ft. | | 5 00 | 45 00 | |
| 4 to 5 ft. | | 6 00 | | |
| diversifolia | <i>Japanese Hemlock</i> | | | |
| 2 to 3 ft. | | 4 00 | | |
| 3 to 4 ft. | | 5 00 | | |

ROSES

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Cl. Amer. Beauty, Amer. Pillar, Aviator Bleriot, Christine Wright, Dr. Van Fleet, Hiawatha, Silver Moon and Tausendschon No. 1 | 60 | 5 50 | 45 00 |
| RAMBLERS | | | |
| D. Perkins, D. Perkins white, Cr. Rambler Excelsa No. 1 | 50 | 4 50 | 36 00 |
| HYBRID perpetuals (in varieties) | | | |
| No. 1 | 75 | 6 75 | 60 00 |
| teas (in varieties) No. 1 | 90 | 8 50 | 81 00 |
| tea (Los Angeles) No. 1 | 1 00 | 9 00 | |
| ROSES — tree form | | | |
| Hybrid perpetuals and hybrid teas No. 1 | 1 50 | 12 00 | |

HARDY HERBACEOUS PERENNIALS

prices except as noted otherwise..... 25 1 80

| | | | |
|--------------------------|-------------------------------------|------|--|
| ACHILLEA Ptarmica | <i>Sneezewort</i> | | |
| ALYSSUM saxatile | <i>Golden-Tuft</i> | | |
| ANCHUSA italica | <i>Alkanet</i> | | |
| ANTHEMIS tinctoria | <i>Golden Marguerite</i> | | |
| AQUILEGIA (in var.) | <i>Columbine</i> | | |
| ARABIS alpina | <i>Rock-Cress</i> | | |
| ASTERS (in var.) | <i>Hardy Asters</i> | | |
| BOLTONIA asteroides | <i>False Chamomile</i> | | |
| CAMPANULA (in var.) | <i>Bellflower</i> | | |
| CHRYSANTHEMUM (in var.) | <i>Hardy Mums</i> | | |
| CONVALLARIA majalis | <i>Lily of the Valley</i> | | |
| Clumps..... | 50 | 3 60 | |
| Divisions | 35 | 3 00 | |
| DIANTHUS (in var.) | <i>Sweet William and Hardy Pink</i> | | |
| DIGITALIS (in var.) | <i>Foxglove</i> | | |
| ECHINACEA | <i>Purple Cone Flower</i> | | |
| FUNKIA (in var.) | <i>Day Lily</i> | | |
| GAILLARDIA | | | |
| GEUM | | | |
| GYPSOPHILA paniculata | <i>Baby's Breath</i> | | |
| HELENIUM autumnale | <i>Sneezeweed</i> | | |
| HELIANTHUS | <i>Sun Flower</i> | | |
| HEMEROCALLIS (in var.) | <i>Yellow Day Lily</i> | | |
| HEUCHERA sanguinea | <i>Coral Bells</i> | | |
| HOLLYHOCKS (in var.) | <i>Hollyhock</i> | | |
| IBERIS sempervirens | <i>Candytuft</i> | | |
| IRIS Germanica (in var.) | <i>German Iris</i> | | |
| Kaempferi (in var.) | <i>Japanese Iris</i> | | |
| LUPINUS polyphyllus | <i>Lupine</i> | | |
| LYCHNIS chalconica | <i>Maltese Cross</i> | | |
| MONARDA didyma | <i>Horse Mint</i> | | |
| PAEONY Festive Maxima | <i>White Paeony</i> | | |
| Divisions | 75 | 6 00 | |
| sinensis (in var.) | | | |
| Clumps | 75 | 6 00 | |
| Divisions | 50 | 3 60 | |

HERBACEOUS PLANTS — Continued

| | |
|----------------------------|---------------------------------------|
| PAPAVER orientale | <i>Oriental Poppy</i> |
| PENTSTEMON barbatus | <i>Pentstemon</i> |
| PHLOX paniculata (in var.) | <i>Perennial Phlox</i> |
| PLATYCODON grandiflorum | <i>Chinese or Japanese Bellflower</i> |
| PRIMULA veris | <i>Cowslip</i> |
| PYRETHRUM (assorted) | |
| RUDBECKIA laciniata | <i>Golden Glow</i> |
| SEDUM spectabile | <i>Showy Stonecrop</i> |
| STOKESIA cyanea | <i>Stokes' Aster</i> |
| VERONICA spicata | <i>Speedwell</i> |
| VINCA minor | <i>Periwinkle</i> |

HARDY GRASSES

| | | | |
|----------------------|------|--------|---------|
| EULALIA japonica | Each | Per 10 | Per 100 |
| japonica gracillimus | | | |
| japonica variegatus | | | |
| Clumps | 35 | 3 00 | |

FRUITS

| | | | |
|---|--------|---------|----------|
| APPLES (dwarf) (in var.) | | | |
| 1st class | 1 50 | | |
| (standard) (in var.) | | | |
| 1st class | 1 00 | 9 00 | |
| 1 to 1¼ in. | 1 50 | 13 50 | |
| 1½ in. X | 2 25 | 21 00 | |
| 2 in. X | 3 00 | 27 00 | |
| CHERRIES (in var.) | | | |
| 1st class | 1 50 | 13 50 | |
| extra | 2 00 | 18 00 | |
| PEACHES (in var.) | | | |
| 1st class | 75 | 6 00 | |
| extra | 1 00 | 7 50 | |
| PEARS (dwarf) (in var.) | | | |
| 1st class | 1 00 | 9 00 | |
| extra | 1 50 | | |
| (standard) (in var.) | | | |
| 1st class | 1 25 | 12 00 | |
| ¾ in. | 1 50 | 13 50 | |
| 1 in. | 2 00 | 18 00 | |
| 1½ in. | 2 25 | | |
| PLUMS (European and Japanese) (in var.) | | | |
| 1st class | 1 25 | 12 00 | |
| extra | 1 50 | | |
| QUINCES (in var.) | | | |
| 1st class | 1 25 | 10 50 | |
| WALNUTS (See Juglans) | | | |
| ASPARAGUS | Per 10 | Per 100 | Per 1000 |
| 2 years. | 2 00 | 1 80 | 15 00 |
| | Each | Per 10 | Per 100 |
| BLACKBERRIES (in var.) | 15 | 1 00 | 9 00 |
| CURRENTS (in var.) | | | |
| 1st class | 35 | 3 00 | 24 00 |
| GOOSEBERRIES (American var.) | | | |
| 1st class | 40 | 3 60 | 30 00 |
| GRAPES (in var.) | | | |
| 2 years | 50 | 4 00 | 30 00 |
| 3 years | 75 | 7 00 | 60 00 |
| RASPBERRIES (in var.) | 15 | 1 00 | 9 00 |
| RHUBARB | 25 | 2 10 | 18 00 |

CASE THE PRINTER,
Flushing, N. Y.